


## MODEL E101-P PACKAGED GAS BOOSTER

The **ETTER Engineering** packaged gas booster system is designed and used for pumping low volumes of gas, which is not corrosive to aluminum or steel, when an increase in pressure is required from the available line pressure. The package includes a magnetic coupled drive mechanism which has no shaft or shaft seals. Capacity ranges from 0 to 1500 CFH, with an maximum available pressure of 14 " W.C. at added to the inlet pressure. An outlet gas pressure regulator sets a constant outlet pressure over a range of flow rates. The E101-P is designed as a "Plug-and-Play" unit, which comes complete to your application with:

- ✓ Steel skid style frame with all components mounted
- ✓ UL/CSA , Mass. Board of Plumbers and Gas Fitters, approved pump
- ✓ ¼ Hp TEFC motor, 120/1/60
- ✓ 1" NPT union ends inlet and outlet
- ✓ NO minimum flow rate requirement
- ✓ UL Approved control panel including:
  - Motor starter
  - Fusing , Lights and Push Buttons
  - Operating interlocks
- ✓ Pre-plumbed check valves, bypass, low gas pressure switch



**E101-P** - Standard packaged booster system designed for equipment interlocking, come standard with 2 sets of remote Start/Stop Contacts for interlocking with the equipment it is serving.

**Several Control Options Currently Available!**  
**Talk to us about YOUR application.**

